

PARALLEL ARCHITECTURAL PRODUCTS

Typical Cladding Details


PROPERTY MANAGER: **PER ARCHITECT / ENGINEER**

DESIGN ENGINEER:
PVE, LLC
2000 GEORGETOWN DRIVE, SUITE 101
SEWICKLEY, PA 15143

<u>DRAWING LIST</u>	<u>LATEST REVISION</u>	<u>DATE</u>
T-001 - TITLE SHEET		
S-001 - GENERAL NOTES		
S-200 - HORIZONTAL CLADDING ELEVATION		
S-201 - VERTICAL CLADDING ELEVATION		
S-300 - HORIZONTAL CLADDING TO LIGHT GAUGE FRAMING TYPICAL DETAILS		
S-300a - HORIZONTAL CLADDING TO WOOD FRAMING TYPICAL DETAILS		
S-300b - HORIZONTAL CLADDING TO CMU TYPICAL DETAILS		
S-300c - HORIZONTAL CLADDING TO WOOD FURRING TYPICAL DETAILS		
S-300d - HORIZONTAL CLADDING TO SHEATHING TYPICAL DETAILS		
S-301 - VERTICAL CLADDING TO METAL FURRING TYPICAL DETAILS		
S-301a - VERTICAL CLADDING TO CMU TYPICAL DETAILS		
S-302 - PERPENDICULAR SOFFIT CLADDING TO SHEATHING TYPICAL DETAILS		
S-303 - PARALLEL SOFFIT CLADDING TO SHEATHING TYPICAL DETAILS		

<u>ABBREVIATIONS:</u>		<u>ABBREVIATIONS (CONT.):</u>		<u>ABBREVIATIONS (CONT.):</u>		<u>ABBREVIATIONS (CONT.):</u>		<u>ABBREVIATIONS (CONT.):</u>		<u>ABBREVIATIONS (CONT.):</u>	
ABV	ABOVE	CLSM	CONTROLLED LOW STRENGTH MATERIAL	EOS	EDGE OF SLAB	kN	KILONEWTON	(N)	NEW	SOG	SLAB-ON-GRADE
ACI	AMERICAN CONCRETE INSTITUTE	CMU	CONCRETE MASONRY UNIT	EQ	EQUAL	kPa	KILOPASCAL	OC	ON CENTER	STD	STANDARD
ACIP	AUGERED CAST-IN-PLACE PILES	CO	CLEAN OUT	EQUIP	EQUIPMENT	I	LITER	OPNG	OPENING	STL	STEEL
ADD'L	ADDITIONAL	COL	COLUMN	EW	EACH WAY	L	LENGTH	OPPF	OPPOSITE	STRUCT	STRUCTURAL
AE	AIR-ENTRAINED	CONC	CONCRETE	EXIST	EXISTING	LBS	POUNDS	O.F.	OUTER FACE	T	TOP OF TREAD
AISC	AMERICAN INSTITUTE OF STEEL CONSTRUCTION	CONT	CONTINUOUS	EXP	EXPANSION	Ld	REINF BAR DEVELOPMENT LENGTH	PJIP	PARTIAL JOINT PENETRATION	T/	TOP OF
ANSI	AMERICAN NATIONAL STANDARDS INSTITUTE	COORD	COORDINATE	FT	FOOT/FEET	LLH	LONG LEG HORIZ	PSF	POUNDS PER SQUARE FOOT	TOF	TOP OFFOOTING
APPROX	APPROXIMATELY	COTR	CONTRACTING OFFICER'S TECHNICAL REPRESENTATIVE	FTG	FOOTING	LLV	LONG LEG VERT	PSI	POUNDS PER SQUARE INCH	TOS	TOP OF STEEL
AR	ANCHOR ROD	db	REINFORCING BAR DIAMETER	FE	FIRE ESCAPE	LP	LOW POINT	PPT	POST-TENSION	THK	THICK
ARCH	ARCHITECTURAL	DIA	DIAMETER	GALV	GALVANIZE	LTWT	LIGHT WEIGHT	R	REINFORCER	TMS	THE MASONRY SOCIETY
ASCE	AMERICAN SOCIETY OF CIVIL ENGINEERS	DN	DOWN	GL	GRIDLINE	m	METER	REF	REFERENCE	TYP	TYPICAL
ASTM	AMERICAN SOCIETY FOR TESTING & MATERIALS	DTLS	DETAILS	H	HIGH	mm	MILLIMETER	REINF	REINFORCING OR REINFORCEMENT	UNL	UNLESS NOTED OTHERWISE
AWS	AMERICAN WELDING SOCIETY	DWG	DRAWING	HORIZ	HORIZONTAL	MAX	MAXIMUM	REQD	REQUIRED	VERT	VERTICAL
B	BOTTOM	DWLS	DOWELS	HP	HIGH POINT	MANUF	MANUFACTURER	SCHED	SCHEDULE	W/C	WATER-CEMENT TO CEMENT RATIO
B/	BOTTOM OF	E	EXISTING	HS	HIGH STRENGTH	MECH	MECHANICAL	SC	SUPERCRITICAL	W	WIDTH
BH	BULKHEAD	EA	EACH	HSA	HEADED SHEAR ANCHOR	MEP	MECH/ELECT/PLUMBING	SDI	STEEL DECK INSTITUTE	WD	WOOD
BLDG	BUILDING	EF	EACH FACE	IN	INCH(ES)	MIN	MINIMUM	SDL	SUPERIMPOSED DEAD LOAD	WP	WORKPOINT
BM	BEAM	EL	ELEVATION	IP	INFLECTION POINT	MPa	MEGAPASCAL	SEC	SECONDS	WWR	WELDED WIRE REINFORCEMENT
BOT	BOTTOM	ELECT	ELECTRICAL	I.F.	INSIDE FACE	MTL	METAL	SM	SMALL		
CJP	COMPLETE JOINT PENETRATION	ELEV	ELEVATOR	JT	JOINT	N	NEWTON	SJI	STEEL COST INSTITUTE		
CLR	CLEAR	EMBED	EMBEDMENT	K	KIPS (1000 POUNDS)	NLWT	NORMAL WEIGHT	SLV	SHORT LED (DM) VERTICAL		

<p>GENERAL NOTES:</p> <ol style="list-style-type: none"> 1. DRAWING REFERENCE: N/A 2. CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD PRIOR TO INSTALLATION. DO NOT SCALE OFF DRAWINGS. 3. ALL MEMBERS SHALL BE SAW CUT IN FIELD AS REQUIRED. 4. NO SPLICES SHALL BE PERMITTED UNLESS INDICATED OTHERWISE ON DRAWINGS. 5. TOUCH UP ALL SCRATCHES WITH DEALER PROVIDED COLORS TO MATCH. 6. WELDING IS NOT PERMITTED, UNLESS OTHERWISE INDICATED ON DRAWINGS. 7. THE CONTENTS SHOW THE APPLICATION OF ALUMINUM COMPONENT FRAMING COMPONENTS ONLY. THE INSTALLING CONTRACTOR IS TO REFER TO THE PROJECT DOCUMENTS FOR ADDITIONAL REQUIREMENTS. 8. DIMENSIONS HEREIN ARE FOR ENGINEERING PURPOSES ONLY AND MUST BE REVIEWED FOR THE PURPOSE OF APPROVAL. ALL CONDITIONS ARE SUBJECT TO APPROVAL AND TO FIELD VERIFICATION PRIOR TO FABRICATION OR INSTALLATION. 9. BEFORE ORDERING, FABRICATING OR ERECTING ANY MATERIAL, MAKE ANY NECESSARY SURVEYS AND MEASUREMENTS TO VERIFY THAT IN PLACE WORK HAS BEEN BUILT ACCORDING TO THE CONTRACT DOCUMENTS AND ARE WITHIN ACCEPTABLE TOLERANCES. THIS INCLUDES THE ORIGINAL BUILDINGS AND ALL ADDITIONS THERETO. NOTIFY THE A/E AND OWNER'S REPRESENTATIVES OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION. 10. TEMPORARY BRACING OF THE SYSTEM AND SAFETY DURING CONSTRUCTION IS SOLELY THE RESPONSIBILITY OF THE CONTRACTOR. TEMPORARY BRACING OF THE SYSTEM SHALL REMAIN IN PLACE UNTIL THE SYSTEM IS TOTALLY IN PLACE. CONTRACTOR SHALL COORDINATE LOCATIONS OF TEMPORARY BRACING WITH OTHER CONTRACTORS. REFER TO DRAWINGS FOR ADDITIONAL CRITERIA. 11. THIS SUBMITTAL IS SUBJECT TO THE REVIEW AND APPROVAL OF THE PROJECT ARCHITECT/ENGINEER OF RECORD PRIOR TO INSTALLATION. <p>ALUMINUM NOTES:</p> <ol style="list-style-type: none"> 1. ALL STRUCTURAL ALUMINUM COMPONENTS SHALL BE FABRICATED AND ERECTED ACCORDING TO THE GOVERNING BUILDING CODE AND ADM-2015. 2. MATERIAL NOTES: ALL SHAPES SHALL BE ONE OF THE FOLLOWING ALUMINUM ALLOYS AND TEMPS: 6061-T6 6063-T6 6063-T5 F_y: 35 KSI F_y: 25 KSI F_y: 16 KSI F_u: 38 KSI F_u: 30 KSI F_u: 22 KSI E: 10x10³ KSI E: 10x10³ KSI E: 10x10³ KSI 3. SCREWS: SELF-TAPPING METAL SCREWS (AS NOTED) - #10 MINIMUM GALVANIZED UNLESS NOTED OTHERWISE 304/316 STAINLESS STEEL OR ALUMINUM COATED WHERE NOTED AT HIGH/SALT EXPOSURE 4. WHERE ALUMINUM IS IN CONTACT WITH OTHER METALS EXCEPT 300 SERIES STAINLESS STEEL, ZINC OR CADMIUM AND THE FAYING SURFACES ARE EXPOSED TO MOISTURE, THE OTHER METALS SHALL BE PAINTED OR COATED WITH ZINC, CADMIUM, OR ALUMINUM. 5. UNCOATED ALUMINUM SHALL NOT BE EXPOSED TO MOISTURE OR RUNOFF THAT HAS COME IN CONTACT WITH OTHER UNCOATED METALS EXCEPT 300 SERIES STAINLESS, ZINC, OR CADMIUM. 6. ALUMINUM SURFACES TO BE PLACED IN CONTACT WITH WOOD, FIBERBOARD, OR OTHER POROUS MATERIAL THAT ABSORBS WATER SHALL BE PAINTED. 7. ALUMINUM SURFACES SHALL BE PAINTED IF THEY ARE TO BE PLACED IN CONTACT WITH CONCRETE OR MASONRY UNLESS THE CONCRETE OR MASONRY REMAINS DRY AFTER CURING AND NO CORROSIVE ADDITIVES SUCH AS CHLORIDES ARE USED. 8. ALUMINUM SHALL NOT BE EMBEDDED IN CONCRETE WITH CORROSIVE ADDITIVES SUCH AS CHLORIDES IF THE ALUMINUM IS ELECTRICALLY CONNECTED TO STEEL. ALUMINUM EMBEDDED IN CONCRETE SHALL BE WRAPPED WITH 10 MIL PIPE WRAP OR PLASTIC TAPE. WRAP MUST PROTECT ALL ALUMINUM SURFACES FROM EXPOSURE TO CONCRETE. 9. AS AN ALTERNATIVE TO THE PREVIOUS REQUIREMENTS FOR ALUMINUM IN CONTACT WITH OTHER MATERIALS, ALUMINUM SHALL BE SEPARATED FROM THE MATERIALS OF THIS SECTION BY A NONPOROUS ISOLATOR COMPATIBLE WITH THE ALUMINUM AND THE DISSIMILAR MATERIAL. 10. STEEL FASTENERS WITH A MINIMUM TENSILE ULTIMATE STRENGTH GREATER THAN 120 KSI IN THE LOAD BEARING PORTION OF THE SHANK SHALL NOT BE USED IN CONTACT WITH ALUMINUM. ALL FASTENERS SHALL BE LOCATED AT A SPACING THAT CONFORMS TO AISC STANDARD GAGE AND PITCH. 11. BOLT HOLES SHALL BE DRILLED THE SAME NOMINAL DIAMETER AS THE BOLT + 1/16" (U.O.N.). 12. PREDRILL ALL HOLES FOR MATERIAL THICKER THAN 3/16". 13. NOMINAL DIAMETER OF UNTHREADED HOLES FOR SCREWS SHALL NOT EXCEED THE NOMINAL DIAMETER OF THE SCREWS BY MORE THAN 1/16". 14. THE SPACING BETWEEN SCREW CENTERS SHALL NOT BE LESS THAN 2.5 TIMES THE NOMINAL DIAMETER OF THE SCREWS. 15. THE DISTANCE FROM THE EDGE OF A PART TO THE CENTER OF THE SCREWS SHALL NOT BE LESS THAN 1.5 TIMES THE NOMINAL DIAMETER OF THE SCREW. 16. WASHERS SHALL HAVE A NOMINAL DIAMETER NOT LESS THAN 5/16" AND SHALL HAVE A NOMINAL THICKNESS NOT LESS THAN 0.050". <p>BUILDING LOADS:</p> <ol style="list-style-type: none"> 1. SUPERIMPOSED DEAD LOAD AND LIVE LOADS <ol style="list-style-type: none"> DEAD LOAD <ol style="list-style-type: none"> 1. C-B12 1.22 PLF 2. C-B8 0.80 PLF 3. C-B6 0.66 PLF 4. C-B6V 0.60 PLF 5. C-B4 0.44 PLF LIVE LOADS - N/A FOR CLADDING 2. SNOW LOADS <ol style="list-style-type: none"> N/A - SNOW LOADS NEGLECTED - WIND LOADS CONCROL 3. WIND <ol style="list-style-type: none"> 100 PSF ULTIMATE (60 PSF ALLOWABLE) MAXIMUM WIND PRESSURE FOR WIND LOADS OVER 100 PSF (ULTIMATE) - FASTENERS SHALL BE ENGINEERED FOR SITE SPECIFIC LOADS 4. SEISMIC LOADS <ol style="list-style-type: none"> N/A - SEISMIC LOADS NEGLECTED - WINDLOADS CONTROL 		<p>TYPICAL SCREW FASTENER LEGEND:</p> <p>NOTE: SCREWS SHOWN BELOW ARE TYPICAL EXAMPLES AND ALL MAY NOT BE USED IN PROJECT. CONTRACTOR MAY ELECT TO USE OTHER TYPES, SCREW MATERIAL PER THE GENERAL NOTES AND MINIMUM SCREW DIAMETER PER THE DETAILS MUST BE MAINTAINED. DRILL POINT, HEAD STYLE, AND THREAD COUNT PER INCH SHALL BE SELECTED BY THE CONTRACTOR BASED ON THE APPLICATION.</p> <table border="1"> <tr> <td>#10-16X1" HEX WASHER HEAD (HWH) SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO METAL) MANUF. PART NO. 10100HW3CS</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> <tr> <td>#10-12X1-1/2" BURR-BUSTER SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO WOOD) MANUF. PART NO. 10150HWBB17CSTS</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> <tr> <td>#10-16X5/8" BLAZER LO PROFILE PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#10X5/8"-PC-QX-F</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> <tr> <td>#10-13X2" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 10200SPCGCSTS</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> <tr> <td>1/4"X2" KH-EZ SS316 SELF DRILLING SCREW (7/16" HEX-HEAD) (METAL TO CONCRETE) MANUF. PART NO. KH-EZ SS316 1/4x2 SCREW</td> <td></td> <td>HILTI 1-800-879-8000</td> </tr> <tr> <td>#12-11X1" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 12100SPCGCSTS</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> <tr> <td>#12-24X1-1/2" SDS PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#12X1-1/2"-PC-QX-F</td> <td></td> <td>SFS INTECT 1-800-234-4533</td> </tr> <tr> <td>#12-24X4-3/4" CONCEALOR SELF DRILLING SCREW (#3 SQUARE) (METAL THRU EPS TO METAL) MANUF. PART NO. 126750C35E</td> <td></td> <td>TRIANGLE FASTENER 1-800-486-1832</td> </tr> </table> <p>ENLARGED PART DETAILS:</p> <table border="1"> <tr> <td>C-B4</td> <td></td> </tr> <tr> <td>C-B6</td> <td></td> </tr> <tr> <td>C-B6V</td> <td></td> </tr> <tr> <td>C-B8</td> <td></td> </tr> <tr> <td>C-B12</td> <td></td> </tr> <tr> <td>C-EC</td> <td></td> </tr> <tr> <td>C-STR</td> <td></td> </tr> <tr> <td>C-TTF</td> <td></td> </tr> <tr> <td>C-TTM</td> <td></td> </tr> <tr> <td>C-JTF</td> <td></td> </tr> <tr> <td>C-JTM</td> <td></td> </tr> <tr> <td>C-CF</td> <td></td> </tr> <tr> <td>C-CM</td> <td></td> </tr> </table>	#10-16X1" HEX WASHER HEAD (HWH) SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO METAL) MANUF. PART NO. 10100HW3CS		TRIANGLE FASTENER 1-800-486-1832	#10-12X1-1/2" BURR-BUSTER SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO WOOD) MANUF. PART NO. 10150HWBB17CSTS		TRIANGLE FASTENER 1-800-486-1832	#10-16X5/8" BLAZER LO PROFILE PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#10X5/8"-PC-QX-F		TRIANGLE FASTENER 1-800-486-1832	#10-13X2" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 10200SPCGCSTS		TRIANGLE FASTENER 1-800-486-1832	1/4"X2" KH-EZ SS316 SELF DRILLING SCREW (7/16" HEX-HEAD) (METAL TO CONCRETE) MANUF. PART NO. KH-EZ SS316 1/4x2 SCREW		HILTI 1-800-879-8000	#12-11X1" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 12100SPCGCSTS		TRIANGLE FASTENER 1-800-486-1832	#12-24X1-1/2" SDS PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#12X1-1/2"-PC-QX-F		SFS INTECT 1-800-234-4533	#12-24X4-3/4" CONCEALOR SELF DRILLING SCREW (#3 SQUARE) (METAL THRU EPS TO METAL) MANUF. PART NO. 126750C35E		TRIANGLE FASTENER 1-800-486-1832	C-B4		C-B6		C-B6V		C-B8		C-B12		C-EC		C-STR		C-TTF		C-TTM		C-JTF		C-JTM		C-CF		C-CM	
#10-16X1" HEX WASHER HEAD (HWH) SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO METAL) MANUF. PART NO. 10100HW3CS		TRIANGLE FASTENER 1-800-486-1832																																																		
#10-12X1-1/2" BURR-BUSTER SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO WOOD) MANUF. PART NO. 10150HWBB17CSTS		TRIANGLE FASTENER 1-800-486-1832																																																		
#10-16X5/8" BLAZER LO PROFILE PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#10X5/8"-PC-QX-F		TRIANGLE FASTENER 1-800-486-1832																																																		
#10-13X2" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 10200SPCGCSTS		TRIANGLE FASTENER 1-800-486-1832																																																		
1/4"X2" KH-EZ SS316 SELF DRILLING SCREW (7/16" HEX-HEAD) (METAL TO CONCRETE) MANUF. PART NO. KH-EZ SS316 1/4x2 SCREW		HILTI 1-800-879-8000																																																		
#12-11X1" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 12100SPCGCSTS		TRIANGLE FASTENER 1-800-486-1832																																																		
#12-24X1-1/2" SDS PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#12X1-1/2"-PC-QX-F		SFS INTECT 1-800-234-4533																																																		
#12-24X4-3/4" CONCEALOR SELF DRILLING SCREW (#3 SQUARE) (METAL THRU EPS TO METAL) MANUF. PART NO. 126750C35E		TRIANGLE FASTENER 1-800-486-1832																																																		
C-B4																																																				
C-B6																																																				
C-B6V																																																				
C-B8																																																				
C-B12																																																				
C-EC																																																				
C-STR																																																				
C-TTF																																																				
C-TTM																																																				
C-JTF																																																				
C-JTM																																																				
C-CF																																																				
C-CM																																																				




① TYPICAL HORIZONTAL CLADDING ELEVATION
 $3/8'' = 1'-0''$

PREPARED FOR:		
PARALLEL ARCHITECTURAL PRODUCTS 2750 S. RARITAN STREET ENGLEWOOD, CO 80110		
ISSUED FOR:		
TYPICAL DETAILS		
ISSUED DATE:		
03/12/2025		
PLAN REVISIONS		
NO.	DATE	DESCRIPTION
PROJECT NAME:		
PARALLEL ARCHITECTURAL PRODUCTS TYPICAL CLADDING DETAILS		
PROJECT LOCATION:		
PER PROJECT SPECIFICATIONS		
DRAWING NAME:		
HORIZONTAL CLADDING ELEVATION		
SEAL & SIGNATURE		PROJECT NO: 20240131
DRAWN BY: JDM		
CHECKED BY: DSG		
DRAWING NO: S-200		
PAGE NO: 3 OF 13		

THE DESIGN CONCEPTS, SEAL, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN THE INTENDED PROJECT, IS PROHIBITED. PVE, LLC. IS NOT RESPONSIBLE FOR ANY DAMAGES OR EXPENSES INCURRED AS A RESULT OF THE UNAUTHORIZED USE OF THIS DOCUMENT. THE UNAUTHORIZED USE OF THIS DOCUMENT IS A VIOLATION OF FEDERAL LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES OF THIS DOCUMENT ARE NOT TO BE MADE. PVE, LLC. IS NOT RESPONSIBLE FOR ANY DAMAGES OR EXPENSES INCURRED AS A RESULT OF THE UNAUTHORIZED USE OF THIS DOCUMENT. PVE, LLC. MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.










© PVE, LLC 2024




① TYPICAL VERTICAL CLADDING ELEVATION
 $3/8" = 1'-0"$

PREPARED FOR:		
PARALLEL ARCHITECTURAL PRODUCTS 2750 S. RARITAN STREET ENGLEWOOD, CO 80110		
ISSUED FOR:		
TYPICAL DETAILS		
ISSUED DATE:		
03/12/2025		
PLAN REVISIONS		
NO.	DATE	DESCRIPTION
PROJECT NAME:		
PARALLEL ARCHITECTURAL PRODUCTS TYPICAL CLADDING DETAILS		
PROJECT LOCATION:		
PER PROJECT SPECIFICATIONS		
DRAWING NAME:		
VERTICAL CLADDING ELEVATION		
SEAL & SIGNATURE		PROJECT NO: 20240131
		DRAWN BY: JDM
		CHECKED BY: DSG
		DRAWING NO: S-201
		PAGE NO: 4 OF 13


THE DESIGN CONCEPTS, SEAL AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE.
 THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE
 PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY
 PURPOSE OTHER THAN THE PROJECT NOTED ON THIS DOCUMENT IS PROHIBITED. THIS DOCUMENT IS THE PROPERTY OF
 PVE. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC
 COPIES ARE NOT TO BE MADE. THIS DOCUMENT IS A PRINTED COPY. THE INFORMATION CONTAINED IN THIS DOCUMENT AND
 MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC, IN ISSUANCE OF THIS DOCUMENT, MAKES NO
 GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.
 © PVE, LLC 2018




PREPARED FOR:		
 PARALLEL ARCHITECTURAL PRODUCTS 2750 S. RARITAN STREET ENGLEWOOD, CO 80110		
ISSUED FOR:		
TYPICAL DETAILS		
ISSUED DATE:		
03/12/2025		
PLAN REVISIONS		
NO.	DATE	DESCRIPTION
THE DESIGN CONCEPTS, SEAL AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE OR ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN THE PROJECT NOTED ON THIS DOCUMENT, IS PROHIBITED. THIS DOCUMENT IS PROVIDED "AS IS" AND PVE, LLC. ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF PVE, LLC. AND IS PROVIDED FOR THE EXCLUSIVE USE OF THE PERSON(S) NAMED ABOVE. THE INFORMATION CONTAINED IN THIS DOCUMENT IS NOT A CONTRACT AND IS NOT BINDING ON PVE, LLC. PVE, LLC. IS NOT RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THIS DOCUMENT. PVE, LLC. IS NOT RESPONSIBLE FOR ANY DEFECTS IN THE MEDIUM OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.		
© PVE, LLC 2025		
PROJECT NAME:		
PARALLEL ARCHITECTURAL PRODUCTS TYPICAL CLADDING DETAILS		
PROJECT LOCATION:		
PER PROJECT SPECIFICATIONS		
DRAWING NAME:		
VERTICAL CLADDING TO METAL FURRING TYPICAL DETAILS		
SEAL & SIGNATURE		PROJECT NO: 20240131 DRAWN BY: JDM CHECKED BY: DSG DRAWING NO: S-301 PAGE NO: 10 OF 13




**1 TYPICAL VERTICAL CLADDING TO CMU STARTER EDGE DETAIL
3" = 1'-0"**




2 TYPICAL VERTICAL CLADDING TO CMU EDGE DETAIL I
3" = 1'-0"




3 TYPICAL VERTICAL CLADDING TO CMU EDGE DETAIL II
3" = 1'-0"




**4 TYPICAL VERTICAL CLADDING TO CMU OUTSIDE CORNER DETAIL
3" = 1'-0"**




5 TYPICAL VERTICAL CLADDING TO CMU INSIDE CORNER DETAIL
3" = 1'-0"




6 OPTIONAL VERTICAL CLADDING TO CMU INSIDE CORNER DETAIL
3" = 1'-0"




**7 TYPICAL VERTICAL CLADDING TO CMU SPLICE DETAIL
3" = 1'-0"**




**8 VERTICAL CLADDING TO CMU BUTT JOINT SPLICING DETAIL
3" = 1'-0"**




9 TYPICAL PARAPET - VERTICAL CLADDING TO CMU EDGE DETAIL
3" = 1'-0"




① TYPICAL HORIZONTAL CLADDING TO LG STARTER DETAIL
 $3'' = 1'-0''$




② TYPICAL HORIZONTAL CLADDING TO LG EDGE DETAIL I
 $3'' = 1'-0''$




③ TYPICAL HORIZONTAL CLADDING TO LG EDGE DETAIL II
 $3'' = 1'-0''$




④ TYPICAL HORIZONTAL CLADDING TO LG OUTSIDE CORNER DETAIL
 $3'' = 1'-0''$




⑤ TYPICAL HORIZONTAL CLADDING TO LG INSIDE CORNER DETAIL
 $3'' = 1'-0''$



⑥ TYPICAL HORIZONTAL CLADDING TO LG OPTIONAL INSIDE CORNER DETAIL
 $3'' = 1'-0''$



⑦ TYPICAL HORIZONTAL CLADDING TO LG SPLICE DETAIL
 $3'' = 1'-0''$



⑧ TYPICAL HORIZONTAL CLADDING TO LG BUTT JOINT DETAIL
 $3'' = 1'-0''$







PREPARED FOR:
PARALLEL
 ARCHITECTURAL PRODUCTS
 2750 S. RARITAN STREET ENGLEWOOD, CO 80110

ISSUED FOR:
 TYPICAL DETAILS

ISSUED DATE:
 03/12/2025

PLAN REVISIONS

NO. DATE DESCRIPTION




PREPARED FOR:
PARALLEL
 ARCHITECTURAL PRODUCTS
 2750 S. RARITAN STREET ENGLEWOOD, CO 80110

ISSUED FOR:
 TYPICAL DETAILS


ISSUED DATE:
 03/12/2025

PLAN REVISIONS


NO. DATE DESCRIPTION




**1 TYPICAL HORIZONTAL CLADDING TO CMU STARTER DETAIL
3" = 1'-0"**




2 TYPICAL HORIZONTAL CLADDING TO CMU EDGE DETAIL I
3" = 1'-0"




3 TYPICAL HORIZONTAL CLADDING TO CMU EDGE DETAIL II
3" = 1'-0"




4 TYPICAL HORIZONTAL CLADDING TO CMU OUTSIDE CORNER DETAIL
3" = 1'-0"




5 TYPICAL HORIZONTAL CLADDING TO CMU INSIDE CORNER DETAIL
3" = 1'-0"




6 TYPICAL HORIZONTAL CLADDING TO CMU OPTIONAL INSIDE CORNER DETAIL
3" = 1'-0"




7 TYPICAL HORIZONTAL CLADDING TO CMU SPLICE DETAIL
3" = 1'-0"




1 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING STARTER DETAIL
3" = 1'-0"




2 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING EDGE DETAIL I
3" = 1'-0"




3 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING EDGE DETAIL II
3" = 1'-0"




4 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING OUTSIDE CORNER DETAIL
3" = 1'-0"




5 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING INSIDE CORNER DETAIL
3" = 1'-0"



6 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING OPTIONAL INSIDE CORNER DETAIL
3" = 1'-0"



7 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING SPLICE DETAIL
3" = 1'-0"



8 TYPICAL HORIZONTAL CLADDING TO WOOD FURRING TYPICAL DETAILS
3" = 1'-0"

IN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONICAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC, IN ISSUANCE OF THIS DOCUMENT, MAKES NOEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.


PROJECT NAME:

PARALLEL ARCHITECTURAL PRODUCTS


ECT LOCATION:

WING NAME: **HORIZONTAL CLADDING TO WOOD FURRING
TYPICAL DETAILS**


& SIGNATURE		PROJECT NO: 20240131
		DRAWN BY: JDM
		CHECKED BY: DSG
		DRAWING NO: S-300c
		PAGE NO: 8 OF 13




1 TYPICAL HORIZONTAL CLADDING TO SHEATHING STARTER DETAIL
3" = 1'-0"




2 TYPICAL HORIZONTAL CLADDING TO SHEATHING EDGE DETAIL
3" = 1'-0"




TYPICAL HORIZONTAL CLADDING TO SHEATHING EDGE DETAIL II
3" = 1'-0"




4 TYPICAL HORIZONTAL CLADDING TO SHEATHING OUTSIDE CORNER DETAIL
3" = 1'-0"




**5 TYPICAL HORIZONTAL CLADDING TO SHEATHING INSIDE CORNER DETAIL
3" = 1'-0"**




TYPICAL HORIZONTAL CLADDING TO SHEATHING OPTIONAL INSIDE CORNER DETAIL
3" = 1'-0"




7 TYPICAL HORIZONTAL CLADDING TO SHEATHING SPLICE DETAIL
3" = 1'-0"




8 TYPICAL HORIZONTAL CLADDING TO SHEATHING BUTT JOINT DETAIL
3" = 1'-0"




① TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING STARTER DETAIL
 3" = 1'-0"




② TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING EDGE DETAIL I
 3" = 1'-0"




③ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING EDGE DETAIL II
 3" = 1'-0"




④ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING OUTSIDE CORNER DETAIL
 3" = 1'-0"




⑤ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING INSIDE CORNER DETAIL
 3" = 1'-0"



⑥ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING OPTIONAL INSIDE CORNER DETAIL
 3" = 1'-0"



⑦ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING SPLICE DETAIL
 3" = 1'-0"



⑧ TYPICAL PERPENDICULAR SOFFIT CLADDING TO SHEATHING BUTT JOINT DETAIL
 3" = 1'-0"


THE DESIGN CONCEPTS, SEALS AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE EXCLUSIVE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN THE PROJECT NOTED ON THIS DOCUMENT IS PROHIBITED. THE INFORMATION CONTAINED HEREIN IS THE PROPERTY OF PVE, LLC. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES ARE NOT TO BE MADE. THIS DOCUMENT IS A PRINTED COPY OF THE ELECTRONIC DOCUMENT. THE ELECTRONIC DOCUMENT AND THIS PRINTED COPY ARE NOT IDENTICAL. PVE, LLC IS NOT RESPONSIBLE FOR ANY DIFFERENCE. THIS DOCUMENT MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC, IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

© PVE, LLC 2010
 PROJECT NAME:
 PARALLEL ARCHITECTURAL PRODUCTS
 TYPICAL CLADDING DETAILS


PROJECT LOCATION:
 PER PROJECT SPECIFICATIONS

DRAWING NAME:
 PERPENDICULAR SOFFIT CLADDING TO
 SHEATHING TYPICAL DETAILS


SEAL & SIGNATURE
 PROJECT NO:
 20240131
 DRAWN BY:
 JDM
 CHECKED BY:
 DSG
 DRAWING NO:
 S-302
 PAGE NO:
 12 OF 13




① TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING STARTER DETAIL
 3" = 1'-0"




② TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING EDGE DETAIL I
 3" = 1'-0"




③ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING EDGE DETAIL II
 3" = 1'-0"




④ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING OUTSIDE CORNER DETAIL
 3" = 1'-0"




⑤ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING INSIDE CORNER DETAIL
 3" = 1'-0"



⑥ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING OPTIONAL INSIDE CORNER DETAIL
 3" = 1'-0"



⑦ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING SPLICE DETAIL
 3" = 1'-0"



⑧ TYPICAL PARALLEL SOFFIT CLADDING TO SHEATHING BUTT JOINT DETAIL
 3" = 1'-0"

PREPARED FOR:		
 PARALLEL ARCHITECTURAL PRODUCTS 2750 S. RARITAN STREET ENGLEWOOD, CO 80110		
ISSUED FOR:		
TYPICAL DETAILS		
ISSUED DATE:		
03/12/2025		
PLAN REVISIONS		
NO.	DATE	DESCRIPTION
PROJECT NAME:		
PARALLEL ARCHITECTURAL PRODUCTS TYPICAL CLADDING DETAILS		
PROJECT LOCATION:		
PER PROJECT SPECIFICATIONS		
DRAWING NAME:		
PARALLEL SOFFIT CLADDING TO SHEATHING TYPICAL DETAILS		
SEAL & SIGNATURE		PROJECT NO: 20240131
		DRAWN BY: JDM
		CHECKED BY: DSG
		DRAWING NO: S-303
		PAGE NO: 13 OF 13

THE DESIGN CONCEPTS, SEAL AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN THE PROJECT NOTED ON THIS DOCUMENT IS PROHIBITED. THE INFORMATION CONTAINED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THE INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND IS SUBJECT TO TRADE SECRET LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES ARE NOT TO BE MADE OF THIS DOCUMENT. PVE, LLC IS NOT RESPONSIBLE FOR ANY INFORMATION CONTAINED IN THIS DOCUMENT. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE. THIS DOCUMENT AND ALL MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC IS ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

© PVE, LLC 2024

PROJECT NAME:
PARALLEL ARCHITECTURAL PRODUCTS
TYPICAL CLADDING DETAILS

PROJECT LOCATION:
PER PROJECT SPECIFICATIONS

DRAWING NAME:
PARALLEL SOFFIT CLADDING TO SHEATHING
TYPICAL DETAILS

SEAL & SIGNATURE

PROJECT NO:
20240131

DRAWN BY:
JDM

CHECKED BY:
DSG

DRAWING NO:
S-303

PAGE NO:
13 OF 13